

66.3

ALBERENE STONE Co.



NEW YORK

BOSTON

CHICAGO

ALBIRENE STONE CO.



NEW YORK

CHICAGO

BOSTON

Alberene Stone Company

Catalogue H

1916



GENERAL OFFICES

NEW YORK, N. Y.

223 East 23d Street

BRANCH OFFICES

BOSTON, MASS.
162 Dover Street

PHILADELPHIA, PA.
950 North Darien Street

CHICAGO, ILL.
222 N. Clinton Street

PITTSBURGH, PA.

NEWARK, N. J.
307 Prudential Bldg.

ST. LOUIS, MO.

MINNEAPOLIS, MINN.

CINCINNATI, OHIO

DETROIT, MICH.

INTRODUCTION

1883

1916

PURPOSE

This catalogue is issued for the convenience of our patrons and to publish the advantages of *Alberene Stone*.

We shall be pleased to receive your orders and your complaints, if you have any, for we are convinced that well satisfied patrons are our best advertisement.

ALBERENE STONE

The name *Alberene Stone*, applied solely to the output of the extensive quarries of this Company, serves both to identify and guarantee our products.

Alberene Stone stands today, as it has stood for more than thirty years, the finest grade of stone for sanitary purposes and laboratory equipment.

CHARACTERISTICS


Alberene Stone is a natural quarried stone, gray in color, close-grained, non-porous, and of uniform density and hardness. It is not affected by extreme heat or cold.

SANITARY EXCELLENCE

One of the most important characteristics of *Alberene Stone* is its non-absorbent quality. It will not become pitted in use, and with the most ordinary care remains as sanitary and clean after long service as when first installed.

CHARACTER OF WORKMANSHIP

The density and close grain of *Alberene Stone* make it possible for us to maintain a high standard of excellence in all our work. The care used in the construction of our fixtures enables us to deliver a finished article as durable as if carved from a solid block of stone.



Tongued, Grooved and Bolted Joint

All of our work which requires the joining of slabs is accurately tongued and grooved. The slabs interlock and are firmly secured by bolts and nuts, as illustrated in the accompanying cut.

The Slip-Tongue Joint, of which an illustration is shown, is employed in hospital, laboratory and sanitary work, wherever a continuous water-tight or acid-proof surface is required. Its effect is to produce substantially a solid slab of stone of any size desired.



Slip-Tongue Joint

On account of the close grain of *Alberene Stone* these Slip-Tongue Joints are almost imperceptible.

SPECIAL FIXTURES

In addition to the fixtures described and illustrated in this catalogue, we can produce variations and modifications in design and size to meet your requirements. If you will give us an idea of your needs we shall be glad to have details prepared by our draughting department showing the construction which you desire.

TRADE-MARK—GUARANTEE

We place our Trade-Mark Plate on every fixture as an assurance to our customers of our willingness to warrant every article so labeled.

Producing from our own quarries the stone from which our goods are made, manufacturing them in our own mills, and shipping them from our own warerooms, we are able to follow carefully every step of the process, and can therefore confidently guarantee their lasting qualities.



SUGGESTIONS FOR ORDERING

When sending your orders, we request that you bear in mind the following items and indicate each one plainly in your order:

- 1st —Plate Number.
- 2nd—Location of Waste and Faucet Holes.
- 3rd—Fittings Desired.
- 4th—Number and Size of Fixture Required.

Your assistance in following out these suggestions will greatly aid us and obviate mistakes and delay.



Alberene Stone

Laundry Tubs




PLATE H102

PLATE H101

Single Compartment

These fixtures are drilled for right or left waste, as specified. Tubs drilled for faucet holes as shown, will be supplied unless otherwise ordered. We do not furnish faucets.

PLATE H101

No.	Length Inches	Width Inches	Depth Inches	Approximate weight, lbs.
1	24	24	16	239
2	30	24	16	265
3	36	24	16	325

PLATE H102

No.	Length Inches	Width Inches	Depth Inches	Approximate weight, lbs.	
				12" back	16" back
6	24	24	16	279	292
7	30	24	16	315	331
8	36	24	16	385	405

PLATE H102 supplied with 6, 12 or 16 inch high back, as specified.

PLATE H102 may be furnished with cap and return ends, if desired.

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone




PLATE H104

Two Compartments

This fixture is drilled for right or left waste, or is furnished with twin waste (note cut), with or without internal overflow, as specified. By the use of the twin waste fitting but a single waste connection is required.

For the convenience of our trade, for use in small apartments, we also carry fixtures of this style in 42, 44 and 46-inch lengths.

Tubs drilled for faucet holes will be supplied unless otherwise ordered. We do not furnish faucets.

PLATE H104

No.	Length Inches	Width Inches	Depth Inches	Approximate weight, lbs.
11	48	24	16	435
12	54	24	16	464
13	60	24	16	510

All measurements are outside. Refer to Price List, for prices and fittings.

Laundry Tubs




PLATE H108

Three Compartments

This fixture is drilled for right or left waste, as desired.

We do not furnish faucets, but tubs with faucet holes will be furnished unless otherwise ordered.

PLATE H108

No.	Length Inches	Width Inches	Depth Inches	Approximate weight, lbs.
21	72	24	16	635
22	78	24	16	680
23	84	24	16	760
24	90	24	16	815
25	96	24	16	840

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone



PLATE H110

PLATE H106

Two and Three Compartments

These fixtures are provided with 6, 12, 14 or 16-inch high back as desired, and with shelf and return pieces at the ends, as illustrated, making them thoroughly sanitary; no wood being used, which may become wet and decay.

These fixtures may be furnished with or without brass rim, and are drilled for right or left waste.

We do not furnish faucets, but tubs with 12 inch high back and faucet holes in the high back will be supplied unless otherwise ordered.

PLATE H106

No.	Length Inches	Width Inches	Depth Inches	6" back	Approximate weight, lbs.		
					12" back	14" back	16" back
18	48	24	16	518	563	578	593
19	54	24	16	556	605	622	638
20	60	24	16	610	664	683	700

PLATE H110

No.	Length Inches	Width Inches	Depth Inches	6" back	12" back	14" back	16" back
31	72	24	16	751	816	838	859
32	78	24	16	805	874	898	921
33	84	24	16	893	968	993	1017
34	90	24	16	956	1036	1063	1088
35	96	24	16	990	1074	1103	1130

All measurements are outside. Refer to Price List, for prices and fittings.

Laundry Tubs




PLATE H109

PLATE H105

Two and Three Compartments with High Back

These fixtures are furnished with solid back, and are designed to be set flush with the wall; the supply pipes, in this instance, are depressed in the wall.

These fixtures may be provided with 6, 12 or 16-inch high back.

Waste is drilled right or left, as specified.

We do not furnish faucets, but tubs with 12-inch high back and faucet holes in the high back will be supplied unless otherwise ordered.

PLATE H105

No.	Length Inches	Width Inches	Depth Inches	Approximate weight, lbs.		
				6" back	12" back	16" back
15	48	24	16	475	515	541
16	54	24	16	509	554	584
17	60	24	16	560	610	643

PLATE H109

No.	Length Inches	Width Inches	Depth Inches	Approximate weight, lbs.		
				6" back	12" back	16" back
26	72	24	16	695	755	795
27	78	24	16	745	810	853
28	84	24	16	830	900	946
29	90	24	16	890	965	1015
30	96	24	16	920	1000	1053

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone



PLATE H115BB

Single Combination Setting

This combination is made up of single tubs bound together at abutting ends by heavy brass clamps, as shown in the cut. It is furnished with painted iron legs of special pattern.

With this type of setting, batteries of tubs of any number and length may be furnished.

These fixtures may be provided with 12-in. or 16-in. high backs if desired. Prices furnished on application.

Fixtures of this style may also be furnished for steam use (write for particulars).

These fixtures are drilled for right or left waste, as specified.

We do not furnish faucets, but tubs with faucet holes will be supplied, unless otherwise ordered.

PLATE H115BB

No.	Length		Approximate weight, lbs.
36	Two-Part, 4 ft.	(Composed of two 2 ft. tubs.)	478
37	Two-Part, 4 ft. 6 in.	(Composed of one 2 ft. and one 2 ft. 6 in. tubs.)	504
38	Two-Part, 5 ft.	(Composed of two 2 ft. 6 in. tubs.)	530
39	Three-Part, 6 ft.	(Composed of three 2 ft. tubs.)	717
40	Three-Part, 6 ft. 6 in.	(Composed of two 2 ft. and one 2 ft. 6 in. tubs.)	743
41	Three-Part, 7 ft.	(Composed of one 2 ft. and two 2 ft. 6 in. tubs.)	769
42	Three-Part, 7 ft. 6 in.	(Composed of three 2 ft 6 in. tubs.)	795
43	Four-Part 8 ft.	(Composed of four 2 ft. tubs.)	956
44	Four-Part 10 ft.	(Composed of four 2 ft 6 in. tubs.)	1060

All measurements are outside. Refer to Price List, for prices and fittings.

Combination Fixtures




PLATE H131

Combination Kitchen Sink and Laundry Tubs

This fixture is furnished with a 12-inch high back, but back of extra height may be had, if desired. It is furnished with a stone cap over the abutting ends; a brass clamp, however, may be used instead of the stone cap.

The tubs are drilled for right or left waste, as specified. The waste in the sink is located in the center at back.

We do not furnish faucets, but tubs and sinks with faucet holes in the high backs will be supplied, unless otherwise ordered.

This fixture may be furnished with sink on left, if specified.

PLATE H131

No.	Sink Width Inches	Sink Length Inches	Tubs Length Inches	Total length Inches	Approximate weight, lbs. 12" back
47	24	24	48	72	736
48	30	24	48	78	775
49	36	24	48	84	810
50	30	24	54	84	825
51	36	24	54	90	869

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone




PLATE H136

Combination Laundry Tub and Kitchen Sink

This fixture is furnished with sink at the right hand, as illustrated; the sink may, however, be located at either right or left, as desired. A 12-inch high back is provided over the sink. A hinged cover, which serves as a drainboard, is also furnished with this fixture.

The waste in tub and sink will be drilled right or left, according to the location of the sink.

We do not furnish faucets, but faucet holes will be drilled in back of tub and in high back over sink, unless otherwise ordered.

PLATE H136

No.	Tub Length Inches	Tub Width Inches	Sink Length Inches	Sink Width Inches	Total length Inches	Approximate weight, lbs. 12" back
118B	24	24	24	24	48	499
118C	27	24	27	24	54	546
118D	30	24	30	24	60	585

All measurements are outside. Refer to Price List, for prices and fittings.

Combination Fixtures




PLATE H137

Combination Kitchen Sink and Laundry Tubs

This fixture may be furnished with sink at right or left hand, or in the centre, as illustrated.

A 12-inch high back is provided over the sink, and hinged covers are furnished, which serve as drainboards.

This fixture is drilled for right or left waste, as specified.

We do not furnish faucets, but faucet holes will be drilled in the back of tubs and in the high back of the sink, unless otherwise ordered.

PLATE H137

No.	Tub Length Inches	Tub Width Inches	Sink Length Inches	Sink Width Inches	Total length Inches	Approximate weight, lbs. 12" back
120A	20	24	20	24	60	623
121A	22	24	22	24	66	668
122A	24	24	24	24	72	714

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone




PLATE H138

PLATE H138½

Combination Laundry Tubs and Kitchen Sink

PLATE H138, composed of single tub and sink with solid high back, is furnished with a brass clamp for the abutting ends and drainboard cover, as illustrated. The sink may be set either at the right or left of the tub.

PLATE H138½ consists of two single tubs and a sink, which is placed in the centre between the tubs, or at either end of the tubs. This fixture may also be made up of a two-part tub (PLATE H104), together with the sink attached at the right or left end by means of a brass clamp.

The tubs in these fixtures are drilled for right or left waste, as specified; the waste in the sink is located in center at back. We do not furnish faucets.

PLATE H138

No.	Width Inches	Tub Inches	Sink Inches	Total length Inches	Approximate weight, lbs. 12" back
123F	24	24	24	48	452
123G	24	30	24	54	494
123H	24	24	30	54	491
123I	24	30	30	60	534

PLATE H138½

124J	24	24	24	72	678
124K	24	30	24	84	730
124L	24	24	30	78	728
124M	24	30	30	90	780

All measurements are outside. Refer to Price List, for prices and fittings.

Kitchen Sinks



PLATE H142

Roll Edge Kitchen Sink

This fixture is furnished with box-back of stone, allowing a 3-inch space for the supply pipes. The waste hole is drilled in the centre, at the back.

We do not furnish faucets, but faucet holes will be drilled 8 inches apart (from centre to centre) and 14 inches from the inside of the bottom of the sink to the centre of holes, unless otherwise ordered.

PLATE H142

Length (Stock sizes) Inches	Width Inches	Depth Inches	High back Inches	Approximate weight, lbs.
24	20	8	12	250
30	20	8	12	260
36	20	8	12	300

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone



PLATE H146

Kitchen Sink

This fixture, without high back, may be furnished with or without brass rim, as specified. Waste hole is drilled in the centre, at back, unless otherwise ordered. This sink is also supplied in special sizes.

PLATE H146

Width Inches	Length Inches	Depth Inches	Approximate weight, lbs.
18	24	8	153
20	30	8	194
20	36	8	224
22	30	8	207
22	36	8	239
22	42	8	271
24	30	8	220
24	36	8	253
24	48	8	320

All measurements are outside. Refer to Price List, for prices and fittings.

Kitchen Sinks




PLATE H147

Kitchen Sink with High Back

This fixture is furnished with a 12-inch high back and may be supplied with or without a brass rim.

In case the sink is to be located in the corner of the kitchen, a high end may be provided for the right or left, as desired (similar to PLATE H154).

This fixture may be furnished with bevel front if desired.

Waste hole is drilled in centre at back, unless otherwise ordered.

We do not furnish faucets, but faucet holes will be drilled 8 inches apart (from centre to centre) and 14 inches from the inside of the bottom of the sink to the centre of holes, unless otherwise ordered.

PLATE H147

Width Inches	Length Inches	Depth Inches	Approximate weight, lbs.
18	24	8	193
20	30	8	244
20	36	8	284
22	30	8	257
22	36	8	299
22	42	8	341
24	30	8	270
24	36	8	313
24	48	8	400

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone



PLATE H150

Kitchen Sink with High Back and Shelf

This sink is furnished with a shelf and return pieces at the ends, as illustrated, making it thoroughly sanitary; no wood being used where it may become wet and decay. It may be furnished with or without brass rim, as desired.

The waste is drilled in the centre at the back, unless otherwise specified.

We do not furnish faucets, but faucet holes will be drilled in the high back, unless otherwise ordered.

PLATE H150

Sink Width Inches	Sink Length Inches	Depth Inches	Drainboard Length Inches	Total length Inches	Approximate weight, lbs. 16" back
18	24	8	24	48	440
20	30	8	24	54	506
20	36	8	24	60	553
22	30	8	24	54	528
22	36	8	24	60	577
22	42	8	24	66	625
24	30	8	24	54	550
24	36	8	24	60	600
24	48	8	24	72	700

All measurements are outside. Refer to Price List, for prices and fittings.

Kitchen Sinks




PLATE H150Q

Kitchen Sink with Solid High Back and Drainboard

This fixture is furnished with solid back, to be set flush with the wall, the supply pipes being depressed in the wall behind the back. This fixture may be furnished with drainboard on right, if specified.

This fixture may be furnished with or without brass rim, as desired, and will be drilled for waste in the centre at back, or as specified.

We do not furnish faucets, but faucet holes will be drilled 8 inches apart (from centre to centre) and 14 inches from the inside of the bottom of the sink to the centre of holes, unless otherwise ordered.

PLATE H150Q

Sink Width Inches	Sink Length Inches	Depth Inches	Drainboard Length Inches	Total length Inches	Approximate weight, lbs. 16" back
18	24	8	24	48	393
20	30	8	24	54	455
20	36	8	24	60	480
22	30	8	24	54	477
22	36	8	24	60	523
22	42	8	24	66	568
24	30	8	24	54	499
24	36	8	24	60	547
24	48	8	24	72	640

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone




PLATE H154

Kitchen Sink with High Back and End

This fixture may be furnished with back and end 12 or 16 inches in height; also with shelf and return ends, as shown in PLATE H150. Drainboards from 18 to 36 inches in length.

The waste is located in the centre at the back, and the sink will be furnished with or without brass rim, as desired.

We do not furnish faucets, but faucet holes will be drilled in the high back, unless otherwise ordered.

PLATE H154

Sink Width Inches	Sink Length Inches	Depth Inches	Drainboard Length Inches	Total length Inches	Approximate weight, lbs. 16" back
18	24	8	24	48	433
20	30	8	24	54	500
20	36	8	24	60	544
22	30	8	24	54	526
22	36	8	24	60	572
22	42	8	24	66	617
24	30	8	24	54	554
24	36	8	24	60	600
24	48	8	24	72	693

PLATE H155

This fixture is furnished with high end on the left and drainboard at the right. All measurements are outside. Refer to Price List, for prices and fittings.

Kitchen Sinks




PLATE H156

Kitchen Sink with Double Drainboard

This fixture is furnished with solid back 16 inches in height.

The double drainboards are the distinctive feature of this sink, and will be found very convenient.

A brass rim may be furnished if desired, as illustrated in PLATE H160.

The waste is drilled in the centre at the back.

We do not furnish faucets, but faucet holes will be drilled 8 inches apart (from centre to centre) and 14 inches from the inside of the bottom of the sink to the center of holes, unless otherwise ordered.

PLATE H156

Sink Width Inches	Sink Length Inches	Depth Inches	Drainboard Length Inches	Total length Inches	Approximate weight, lbs. 16" back
18	24	8	18	60	497
20	30	8	18	66	565
20	36	8	18	72	609
22	30	8	18	66	593
22	36	8	18	72	638
22	42	8	18	78	683
24	30	8	18	66	620
24	36	8	18	72	666
24	48	8	18	84	760

All measurements are outside. Refer to Price List, for prices and fittings.

Alberene Stone




PLATE H160

Kitchen Sink with Double Drainboard, Shelf and Return Ends

This fixture is furnished with 12 or 16-inch high back and shelf and return ends. It may be provided with or without brass rim, as desired. The waste is drilled in the centre at the back.

We do not furnish faucets, but faucet holes will be drilled in the high back, unless otherwise ordered.

PLATE H160

Sink Width Inches	Sink Length Inches	Depth Inches	Drainboard Length Inches	Total length Inches	Approximate weight, lbs. 12" back
18	24	8	18	60	513
20	30	8	18	66	582
20	36	8	18	72	613
22	30	8	18	66	616
22	36	8	18	72	631
22	42	8	18	78	699
24	30	8	18	66	637
24	36	8	18	72	737
24	48	8	18	84	777

All measurements are outside. Refer to Price List, for prices and fittings.

Tub and Sink Fittings




PLATE 184 Laundry Tub Leg (either painted or galvanized iron).

PLATE 185 Extension Sink Leg, adjustable (either painted or galvanized iron).

PLATE 189B Iron Strap Sink Leg (either painted or galvanized iron).


PLATE 190 Brass Strap Sink Leg (polished or nickel-plated).

PLATE 190A Brass Offset Corner Sink Leg (polished or nickel-plated).

PLATE 190B Brass Post Sink Leg (polished or nickel-plated).

Brass rim is furnished upon request for all tubs and sinks.

Refer to Price List, for prices.



- PLATE 121 Sink Strainer (brass) with coupling.
- PLATE 178 Sink Strainer (polished brass) with bolts and nuts.
- PLATE 179 Sink Strainer (polished brass) with locknut and coupling.
- PLATE 180 Laundry Tub Plug, 1½ inch, (polished brass).
- PLATE 181 Laundry Tub Plug with locknut and coupling (polished brass).
- PLATE 182A Soap Cup, for laundry tubs or sinks (galvanized iron).
- PLATE 186 Combination Plug and Strainer (polished brass).

Brass Clamp with Bolts for Wringer Guard and for
Combination Fixtures, Plates H115BB, H138 and H138½.

Regular stock covers (galvanized iron) hinged to wood back strip;
SIZES: 2 ft., 2 ft. 6 in., 4 ft., 4 ft. 6 in., 5 ft., 5 ft. 6 in., 6 ft., 6 ft. 6 in.

Refer to Price List, for prices.

[BLANK PAGE]



CCA

[BLANK PAGE]



CCA

[BLANK PAGE]



CCA

[BLANK PAGE]



CCA

Digitized by:



ASSOCIATION FOR
PRESERVATION TECHNOLOGY,
INTERNATIONAL

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

www.apti.org

From the collection of:



CANADIAN CENTRE FOR ARCHITECTURE /
CENTRE CANADIEN D'ARCHITECTURE

www.cca.qc.ca